

55054003 EN ROUTE RADAR ASSOCIATE CONTROLLER TRAINING PART C: ADVANCED CONCEPTS

Handout 1: Part-Task Exercise


Lesson 17: CPDLC TOC and Message

Management

Version: 1.0 2022.08



PART TASK EXERCISE: CPDLC TOC AND MESSAGE MANAGEMENT



Purpose

Perform CPDLC tasks as follows:

- Use the Held TOC menu to release a Held TOC
- Manage the Message Out view
- Manage the Message Out menu (Mini Mo)
- Manage the Message History view

Materials



⊙ TTL part-task exercise: CPDLC TOC and Message Management



Directions

This exercise takes approximately 45 minutes to complete. Each student must complete the checklist tasks. No headsets are required.

Continued on next page

PART TASK EXERCISE: CPDLC TOC AND MESSAGE MANAGEMENT CHECKLIST

	STUDENT INSTRUCTOR
	DATE
	Task Description
	Instructor Notes
✓	This is an advanced scenario designed to exercise less frequently used capabilities of the system. Scenario runs 45 minutes.
RA	Sector Settings View
	Instructor: At the R Positions open the DC TOC Sector Settings View. Discuss view components. Discuss strategy for setting up the view.
	Held TOCs
	Identify a multiple Held TOC
	Open the Held TOC menu
	Select a sector to uplink the TOC
	Identify an abnormal Held TOC
	Resolve an abnormal Held TOC
	Identify a Disabled Held TOC
	Message Out View
	Open the Message Out view
	Display the full message for an uplink
	Acknowledge an abnormal status entry (Create an abnormal message by sending an altimeter uplink message for a nonadapted station)
	Acknowledge and delete an abnormal status entry
	Cancel an open entry
	Remove a closed entry
	Display Due to Reason text
	Open the Held TOC menu from the Message Out view
	Remove all closed entries
	Close the Message Out view

Continued on next page

PART TASK EXERCISE: CPDLC TOC AND MESSAGE MANAGEMENT CHECKLIST (CONT'D)

Message Out Menu (Mini Mo)
Open the Message Out menu
Display the full message for an Altimeter Setting uplink
Acknowledge an abnormal status entry
Acknowledge and delete an abnormal status entry
Cancel an open entry
Remove a closed entry
Display Due to Reason text
Open the Held TOC menu from the Message Out Menu
Acknowledge a failed session
History View
Open the History view
Enter a FLID in the FLID input area
Display additional information (TBP or TBE on the message or status with an *)
Delete all entries